



*Mr. Miles*

---

SAFETY BOOTS



**Mr. Miles**

SAFETY BOOTS

**CHARACTER COMES  
WITH THE YEARS.**

**UK**

Mr. Miles® Safety Boots are tough, rugged shoes which are safe, durable and comfortable and become more beautiful with age. More characteristic.

Mr. Miles® loves to be challenged, both at work and outside. The more he experiences, the more unique his look.

**NL**

Mr. Miles® Safety Boots zijn stoere, ruige schoenen, die veilig, duurzaam en comfortabel zijn en steeds mooier worden met de jaren. Karakteristieker.

Mr. Miles® houdt van uitdagingen, zowel op het werk als daarbuiten. Hoe meer hij meemaakt, hoe unieker zijn uiterlijk.

**DE**

Mr. Miles® Safety Boots sind strapazierfähige, robuste Schuhe, die sicher, langlebig und komfortabel sind und im Laufe der Zeit immer besser aussehen. Charakteristischer.

Mr. Miles® liebt Herausforderungen, sowohl bei der Arbeit als auch sonstwo. Je mehr er durchsteht, desto einzigartiger sein Look.

**FR**

Mr. Miles® Safety Boots sont des chaussures solides et robustes, elles sont fiables, durables et confortables et s'embellissent avec l'âge. Elles prennent du caractère.

Mr. Miles® aime les défis, tant au travail qu'ailleurs. Plus il subit d'épreuves, plus il devient unique.

*Powered by Allshoes*

**CHARACTER COMES  
WITH THE YEARS.**

  
**Mr. Miles**

SAFETY BOOTS



## SAHARA

ART.NR. 32404 COLOR HONEY UPPER NUBUCK  
SOLE PU/NITRIL - SRC/HRO SIZES 39 TO 48



## TASMAN

ART.NR. 32403 COLOR BROWN UPPER LEATHER  
SOLE PU/NITRIL - SRC/HRO SIZES 39 TO 48



## BEAR

ART.NR. 32401 COLOR DARK BROWN UPPER LEATHER  
SOLE PU/NITRIL - SRC/HRO SIZES 39 TO 48



## SANTIAGO

ART.NR. 32422 COLOR BROWN UPPER LEATHER  
SOLE PU/NITRIL - SRC/HRO SIZES 39 TO 48

S3



## TIME BANDIT

ART.NR. 32421 COLOR DARK BROWN UPPER LEATHER  
SOLE PU/NITRIL - SRC/HRO SIZES 39 TO 48



## SKYLINE

ART.NR. 32416 COLOR DARK BROWN UPPER LEATHER  
SOLE PU/NITRIL - SRC/HRO SIZES 39 TO 48



## EXPLORER

ART.NR. 32423 COLOR DARK BROWN UPPER LEATHER  
SOLE PU/NITRIL - SRC/HRO SIZES 39 TO 48







**Mr. Miles**

SAFETY BOOTS



## SAFETY BOOTS | SOLES

PU / NITRIL - SRC / HRO

-  Anti-static
-  Water and oil resistant
-  Extreme grip
-  Heat resistant



BLACK



BEIGE



**Mr. Miles**

SAFETY BOOTS

*Powered by Allshoes*

## TECHNICAL INFORMATION

### CERTIFIED

All safety footwear sold by us is certified by a recognised testing institute and complies with European standards EN ISO 20345:2011 or UNI EN ISO 20345:2012, as registered in European Directive 89/686/EEC and Regulation (EU) 2016/425 on personal protective equipment (P.P.E.). Our suppliers use state-of-the-art materials and technologies to create an optimum combination of safety, comfort and durability with a modern look.

### SAFETY

Our products comply with the minimum requirement SB (Safety Base).

- The Carbon Steel nose offers sufficient protection against falling objects, denting resistance with 2impact of 200 Joules on the toe. Resistance when trapped with compression of 15000 N2.
- According to the EN ISO 20345:2011 and UNI EN ISO 20345:2012, shock absorption in the heel must be minimum 20 Joule as standard.

*Mr. Miles*

SAFETY BOOTS

All safety shoes are categorised in a number of protection classes:

- SB** ◀ All basic requirements are met. A shoe must have a steel/carbonite nose with denting resistance of 200 Joule (residual height 14 mm).
- S1** ◀ As for SB, but also antistatic, energy absorption through the heel.
- S1P** ◀ As for S1, with the addition of an intermediate steel/kevlar sole.
- S2** ◀ As for S1, plus increased resistance to permeation by water.
- S3** ◀ As for S2, with the addition of an intermediate steel/kevlar sole with non-slip profile.
- S4** ◀ As for S1 but then made from PU, rubber or synthetic materials.
- S5** ◀ As for S4, with the addition of an intermediate steel/kevlar sole with non-slip profile.

### CE TRADEMARK

All shoes are individually tested by certified European testing institutes and may only bear the CE trademark following certification.